

RESIDENTIAL  
& COMMERCIAL

INDUSTRIAL  
& MARINE

ART  
& CRAFT

**SHIMICOAT**  
SURFACE SOLUTIONS



# Epoxy Metallic Floor

## Complete Kit

### Kit Sizes

#### 5sqm Kit Contains

Product Description	Size	Code	Quantity
Premium Tinted Epoxy	2Lt	PT	1
Ultra-Clear Epoxy	3Lt	UC	1
Dominant Pearlescent Powder Pigment	60gr	PP	1
Contrast/Feature Pearlescent Powder Pigment	30gr	PP	1
UVthane PLUS	1.15Lt	UP	1

#### 10sqm Kit Contains

Product Description	Size	Code	Quantity
Premium Tinted Epoxy	4Lt	PT	1
Ultra-Clear Epoxy	6Lt	UC	1
Dominant Pearlescent Powder Pigment	120gr	PP	1
Contrast/Feature Pearlescent Powder Pigment	60gr	PP	1
UVthane PLUS	2.3Lt	UP	1

#### 25sqm Kit Contains

Product Description	Size	Code	Quantity
Premium Tinted Epoxy	8Lt	PT	1
Ultra-Clear Epoxy	15Lt	UC	1
Dominant Pearlescent Powder Pigment	240gr	PP	1
Contrast/Feature Pearlescent Powder Pigment	120gr	PP	1
UVthane PLUS	4.6Lt	UP	1

#### 40sqm Kit Contains

Product Description	Size	Code	Quantity
Premium Tinted Epoxy	12Lt	PT	1
Ultra-Clear Epoxy	15Lt	UC	2
Dominant Pearlescent Powder Pigment	240gr	PP	1
Contrast/Feature Pearlescent Powder Pigment	120gr	PP	1
UVthane PLUS	4.6Lt	UP	1

 MATERIALS  CHEMICALS  RESINS  EQUIPMENT

Ph: (08) 9364 7446 | [info@shimi.com.au](mailto:info@shimi.com.au) | ABN: 28 622 871 283 | [www.shimi.com.au](http://www.shimi.com.au)

## 60sqm Kit Contains

Product Description	Size	Code	Quantity
Premium Tinted Epoxy	16Lt	PT	1
Ultra-Clear Epoxy	30Lt	UC	1
Ultra-Clear Epoxy	15Lt	UC	1
Dominant Pearlescent Powder Pigment	280gr	PP	1
Contrast/Feature Pearlescent Powder Pigment	140gr	PP	1
UVthane PLUS	7Lt	UP	1

## 90sqm Kit Contains

Product Description	Size	Code	Quantity
Premium Tinted Epoxy	20Lt	PT	1
Ultra-Clear Epoxy	30Lt	UC	2
Dominant Pearlescent Powder Pigment	280gr	PP	1
Contrast/Feature Pearlescent Powder Pigment	280gr	PP	1
UVthane PLUS	15Lt	UP	1

## Colour Chart – Basecoat Epoxy

Standard Colours:

- White N14
- Black N61
- Neutral Grey N23
- Dark Grey N64
- Cream Y34
- Terracotta R52
- Bright Blue B23
- Dark Brown X65

SHIMICOAT offers all Australian Standard AS2700 Colours, consisting of 206 colours.

Please contact SHIMICOAT office for your custom design tint. Extra charges may apply.

## Colour Chart – Pearlescent Topcoat PourOn Epoxy

You can choose any combination for your metallic colour finish. We recommend choosing lighter colours such as Pearl White, Silver Frost, Milky Marble as main colour and any other colours as feature/contrast colour. If you wish to get darker surface, you may choose Gun Metal which provides smoky black appearance.

- Copper Cup
- Dragon Gold
- Flame Red
- Forest Green
- Grass Green
- Gun Metal
- Lime Green
- Pink Perfect
- Royal Blue
- Coffee Club
- Silver Frost
- Sunshine Yellow
- Vibrant Purple
- Wild Orange
- Pearl White
- Milky Marble
- Metallic Yellow
- Teal
- Turquoise
- Cobalt Aqua

## Coverage

Each kit is designed to its maximum coverage with best approximate material proportions. The kits are designed for >750micron topcoat thickness. Extra thickness of Clear Topcoat Epoxy may be desirable, which can be purchased separately “Ultra Clear Epoxy”.

## Applications

Roller, Brush or Squeegee.


- Prime Coat:** One Coat as Prime Coat in your choice of colour  
**Base Coat:** One Coat as Base Coat in same colour as Basecoat for ideal coverage  
**Main/Dominant Metallic:** 10-20g/L of Dominant Metallic Pearlescent Powder  
**Feature/Contrast Metallic:** Small quantity of Feature Metallic Pearlescent Powder  
*Pour-On Metallic Epoxy at a rate of 0.5-1.0L/sqm (The kit is designed for 750micron/sqm)*

## Description

### High-End Decorative Flooring Systems:

SHIMICOAT Metallic Marble is a decorative marble appearance flooring system for Residential & Commercial applications available in a wide range of finishes, Matte, Semi-Gloss or High Gloss.

Unique in style, design and pattern to create your own floor of beauty matching the colour scheme in your home, showroom or display surfaces. Pearlescent Metallic Pigments used in epoxy resin to create unique marbled floor coatings, presenting pearlescent, shimmering and iridescent accents with gleaming finishes. The gloss can be regulated over a range of matte, semi to high gloss finishes. Metallic luster floor coatings are the latest technology where art and industrial applications merge. Ideally suitable for commercial application, retail environments and residential customers seeking longevity and point of difference. Manufactured by SHIMICOAT, the products are odorless, self-levelling and easy to apply and engineered to be ideally suitable for Australian conditions.



## Dry Time at 25°C

### Each Coat (Basecoat/Main-Coat and Ultra Clear *Pour-On* Topcoat):

Parameter	Premium Tinted Epoxy (Basecoat/Main-Coat)	Ultra Clear Epoxy (Topcoat)
<b>Pot Life:</b>	45 minutes at 25°C	45 minutes at 25°C
<b>Tack Free:</b>	2-3 hours	2-3 hours
<b>Thin Film Set:</b>	8 Hours (Minimum) Depending on temperature and humidity	8 Hours (Minimum) Depending on temperature and humidity
<b>Dry Cured:</b>	12-24 hours – Foot Traffic (depending on temperature and humidity)	12-24 hours – Foot Traffic (depending on temperature and humidity)
<b>Fully Cured:</b>	7 days (Vehicle Traffic)	7 days (Vehicle Traffic)
<b>Re-Coat:</b>	Overnight (16Hours)	Overnight (16Hours)